


# **Definition and Interpretation**



[(m-i) 'Renewable Rich State' means a State whose minimum combined installed capacity of wind and solar power is 1000 MW or more;

Definition for **Super Renewable Rich** State: 5,000 MW or more RE installed capacity



### Point to consider...



- 1. There is a possibility of imbalance in DSM for the State variation of 10% to 15% is allowed for RE for Intra State transactions whereas the deviation at the Inter State periphery is allowed only up to 250 MW.
- 2.Permissible deviation allowance of the State of TN, which is a higher wind rich State is limited to 250 MW by CERC. Sanctioning lower limit will have a dragging affect on TN in encouraging RE for further installation based on National Target.

# Point to consider...



TN has 8,214 MW Wind and

2,138 MW Solar

Total RE 10,352 MW highest compared to any State

A 10% variation limit would mean 1,035 MW against 250 MW allowed. This assumes that there is no other variation.

# **Deviation in wind**



- State utilities are already raising this issue with the generators; stating that the utility is incurring losses on account of this imbalance.
- While we welcome the narrowing of the bandwidth, our concern is that this may lead to more deviation by the RE rich States and therefore, more losses.
- This could have a dragging effect on States like TN for encouraging RE

# Our Submission - special provision



- We request the Hon'ble CERC to create an enabling provision to create a Super Rich RE State category with RE installation in excess of 5,000 MW and allow them a higher Deviation limit of 500 MW
- Alternatively, the losses incurred by such Super Rich RE States be compensated out of PSDF
- We apprehend that if this is not addressed, it could have an adverse impact on evacuation of RE power to operate within the deviation limit

7



#### Contact

Mobile: 98422 55908 Phone: +91 422 6585908 Web: <u>www.windpro.org</u>

Email :<u>chairmaniwpa@windpro.org</u> <u>secretary.general@windpro.org</u> Address:

Door E, 6<sup>th</sup> Floor Shakti Towers Anna Salai, Chennai 600